

Les dimensions des fraises-scies en HSS et HSS-E

DIN 1837

Épaisseur		0.2	0.25	0.3	0.4	0.5	0.6	0.8	1	1.2	1.6	2	2.5	3	4	5	6
Diam.	Alès.	Nombre de dents															
20	5	80	64	64	64	48	48	48	40	40	40	32	32	32	24	24	24
25	8	80	80	80	64	64	64	48	48	48	40	40	40	32	32	32	24
32	8	100	100	80	80	80	64	64	64	48	48	48	40	40	40	32	32
40	10	128	128	100	100	80	80	80	64	64	64	48	48	48	40	40	40
50	13	128	128	128	100	100	100	80	80	80	64	64	64	48	48	48	40
63	16		160	128	128	128	100	100	100	80	80	80	64	64	64	48	48
80	22			160	128	128	128	128	100	100	100	80	80	80	64	64	64
100	22				160	160	128	128	128	128	100	100	100	80	80	80	64
125	22					160	160	160	128	128	128	128	100	100	100	80	80
150	32						160	160	160	128	128	128	128	128	128	100	100
160	32							160	160	160	128	128	128	128	128	100	100
200	32								200	200	160	160	160	128	128	128	100
250	32										200	200	160	160	160	128	128
315	32												200	200	160	160	160

DIN 1838

Épaisseur		0.2	0.25	0.3	0.4	0.5	0.6	0.8	1	1.2	1.6	2	2.5	3	4	5	6
Diam.	Alès.	Nombre de dents															
20	5					24	24	24	20	20	20						
25	8					32	32	24	24	24	20	20	20				
32	8					30	30	20	20	20	20	20	20	20	20	20	20
40	10					40	40	40	32	32	32	24	24	24	20	20	20
50	13					48	48	40	40	40	32	32	32	24	24	24	20
63	16					64	48	48	48	40	40	40	32	32	32	24	24
80	22					64	64	64	48	48	48	40	40	32	32	32	32
100	22					80	80	64	64	64	48	48	48	40	40	40	32
125	22						80	80	80	64	64	64	48	48	48	40	40
150	32							80	80	80	64	64	64	64	64	48	48
160	32							80	80	80	64	64	64	64	48	48	48
200	32								100	100	80	160	80	64	64	64	48
250	32										100	100	80	80	80	64	64
315	32												100	100	80	80	80